

Selected publications of the Geology Collections, 1974 – 2004

2004

- Briggs, D.E.G., Sutton, M.D. Siveter, D.J. and **Siveter, Derek J.** (2004). A new phyllocarid (Crustacea) from the Silurian Fossil-Lagerstätte of Herefordshire, England. *Proceedings of the Royal Society of London*, **271**, 131-138.
- Day, J.J., Norman, D.B., Gale, A.S., Upchurch, P. and **Powell, H.P.** (2004). A middle Jurassic dinosaur trackway site from Oxfordshire, UK. *Palaeontology*, **47**, 319-348.
- Goolaerts, S., **Kennedy, W.J.**, Dupuis, C. and Steurbaut, E. (2004). Terminal Maastrichtian ammonites from the Cretaceous-Paleogene Global Stratotype Section and Point, El Kef Tunisia. *Cretaceous Research*, **25**, 313-328.
- Hou, X-G., Aldridge, R.J., Bergstrom, J., Siveter, David J., **Siveter, Derek J.** and Feng, X-H. (2004). *The Cambrian fossils of Chengjiang, China. The flowering of early animal life*. Blackwell, Oxford, 233 pp.
- Kennedy, W.J.** (2004). On *Brancoceras* Steinmann, 1881 (Brancoceratidae) and *Pseudobrancoceras* gen. nov., (type species *Ammonites versicostatus* Michelin, 1838: Lyelliceratinae) from the Albian (Cretaceous) of the Western Paris Basin and Provence, France. *Acta Geologica Polonica*, **54**, 251-271.
- Kennedy, W.J.**, Gale, A.S., Lees, J.A. and Caron, M. (2004). The Global Boundary Stratotype Section and Point for the base of the Cenomanian Stage, Mont Risou, Hautes-Alpes, France. *Episodes*, **27**, 21-32.
- Kennedy, W.J.** and Walaszczyk, I. (2004). *Forresteria (Harleites) petrocoriensis* (Coquand, 1859), from the Upper Turonian *Mytiloides scupini* Zone of Slupia Nadbrzenna, Poland. *Acta Geologica Polonica*, **54**, 55-59.
- Sutton, M.D., Briggs, D.E.G., Siveter, D.J. and **Siveter, Derek J.** (2004). Computer reconstruction and analysis of the vermiform mollusc *Acaenoplax hayae* from the Herefordshire Lagerstätte (Silurian, England) and implications for molluscan phylogeny. *Palaeontology*, **47**, 293-318.

2003

- Henderson, R.A. and **Kennedy, W.J.** (2003). Formation of wrinkled shell surfaces in ammonites. A reply to Checa. *Lethaia*, **36**, 175-176.
- Jagt, J.W.M. and **Kennedy, W.J.** (2003). First record of *Pachydiscus noetlingi* Kennedy, 1999 (Ammonoidea) from the Maastrichtian type area (the Netherlands). *Netherlands Journal of Geoscience*, **82**, 303-307.
- Kennedy, W.J.** and Kaplan, U. (2003). A revision of *Ammonites clypealis* Schluter, 1872. *Neue.s.lahrbuch fur Geologic rand Paläontologie Monatshefte*, **228**, 305-319, 5 figs.
- Kennedy, W.J.**, Juignet, P. and Girard, J. (2003). Uppermost Cenomanian ammonites from Eure, Haute-Normandie, France. *Acta Geologica Polonica*, **53**, 1-18, 6 pls.
- Kennedy, W.J.** and Kulbrok, F. (2003). An Upper Maastrichtian faunule from the Eastern Desert, Egypt. *Neues Jahrbuch fur Geologie und Palaontologie Monatshefte*, **2003**, 449-462.
- Kennedy, W.J.**, Phansalkar, V.G. and Walaszczyk, I. (2003). *Prionocyclus germari* (Reuss, 1845), a late Turonian marker fossil from the Bagh Beds of central India. *Cretaceous Research*, **24**, 433-438.
- Klinger, H.C. and **Kennedy, W.J.** (2003). Notes on the systematic, geographic and stratigraphic distribution, and origin of *Diplomoceras cylindraceum* (Defrance, 1816) (Cephalopoda: Ammonoidea). *Annals of the South African Museum*, **110**, 199-218.
- Klinger, H.C. and **Kennedy, W.J.** (2003). Notes on *Pseudoxybeloceras matsumotoi* Collignon, 1965 (Cephalopoda: Ammonoidea). Ontogeny, shell structure, differential preservation and intraspecific variation. *Annals of the South African Museum*, **110**, 199-218.

Klinger, H.C. and **Kennedy, W.J.** (2003). Cretaceous faunas from Zululand and Natal, South Africa. The ammonite families Nostoceratidae Hyatt, 1894, and Diplomoceratidae Spath, 1926. *Annals of the South African Museum*, **110**, 219-336.

Lane, P.D., **Siveter, D.J.** and Fortey, R.A. (eds) (2003). Trilobites and their relatives. Contributions from the third International Conference, Oxford, 2001. *Special papers in Palaeontology*, **70**, 1-397.

Mossman, D.J., Bruning, R. and **Powell, H.P.** (2003). Anatomy of a Jurassic Theropod trackway from Ardley, Oxfordshire, U.K. *Ichnos*, **10**, 195-207.

Siveter, D.J., Sutton, M.D., Briggs, D.E. G. and **Siveter, Derek J.** (2003). An ostracode crustacean with soft parts from the Lower Silurian. *Science*, **300**, 1749-1751.

Jeffery, P. (2003). Gastropods, Mono placophorans, and Polyplacophorans. In: Macleod, N. (ed). *PaleoBase Macrofossils 2.0: Ammonoids, Bivalves, Coleoids, Gastropods and other Mollusca*. Blackwell Publishing, Oxford and The Natural History Museum, London, CDROM

Yuan, W. Zhou, Z. **Siveter, Derek J.**, and Zhou, Z. (2003). The ontogeny of the Ordovician trilobite *Ovalocephalus* and its bearing on the affinity and evolution of the genus. In: Lane, P.D., Siveter, D.J. and Fortey, R.A. (eds). Trilobites and their relatives. Contributions from the third International Conference, Oxford, 2001. *F.R.S Special Papers in Palaeontology*, **70**, 259-269.

Zhou, Z., Zhou, Z., **Siveter, Derek J.** and Yuan W. (2003). Latest Llanvirn to early Caradoc trilobite Biofacies of the north-western marginal area of the Yangtze Block, China. In: Lane, P.D., Siveter, D.J. and Fortey, R.A. (eds), Trilobites and their relatives. Contributions from the third International Conference, Oxford, 2001. *Special Papers in Palaeontology*, **70**, 281-291.

2002

Gale, A.S. and **Kennedy, W.J.** (2002). Introduction. In: Smith, A.B. and Batten, D.J. (eds). *Fossils of the Chalk. Palaeontological Association Field Guide to Fossils*, 2 (Second Edition). 1-26, figs 1.1-1.6D.

Henderson, R.A. and **Kennedy, W.J.** (2002). Occurrence of the ammonite *Goodhallites goodhalli* (J. Sowerby) (Ammonoidea) in the Eromanga Basin, Queensland: an index species from the late Albian (Cretaceous). *Alcheringa*, **26**, 233-247, 7 figs.

Henderson, R.A., **Kennedy, W.J.** and Cobban, W.A. (2002). Perspectives of ammonite palaeobiology from shell abnormalities in the genus *Baculites*. *Lethaia*, **35**, 215-230, 7 figs.

Hou, X., Aldridge, R.J., Siveter, David J., **Siveter, Derek J.** & Feng, X. (2002). New evidence on the morphology and phylogeny of the earliest vertebrates. *Proceedings of the Royal Society of London*, **269**, 1865-1869.

Kennedy, W.J. (2002). Nautiloids. In: Smith, A.B. and Batten, D.J. (eds). *Fossils of the Chalk. Palaeontological Association Field Guide to Fossils*, 2 (Second Edition), 219-231, pls. 42-43, figs. 10.1-10.2.

Kennedy, W.J., Cobban, W.A. and Klinger, H.C. (2002). Muscle attachment and mantle-related features in Upper Cretaceous *Baculites* from the United States Western Interior. *Abhandlungen der Geologischen Bundesanstalt*, **57**, 89-112, 8 pls.

Kennedy, W.J., Landman, N.H., Cobban, W.A. and Larson, N.L. (2002). Jaws and radulae in *Rhaeboceras*, a Cretaceous ammonite. *Abhandlungen der Geologischen Bundesanstalt*, **57**, 113-132, 7 pls.

Wright, C.W. and **Kennedy, W.J.** (2002). Ammonites. In: Smith, A.B. and Batten, D.J. (eds). *Fossils of the Chalk Palaeontological Association Field Guide to Fossils*, 2 (Second Edition), 76-218, pls 30-41, figs 9.1-9.8.

2001

Kennedy, W.J. and Cobban, W.A. 2001. Campanian (late Cretaceous) ammonites from the Anacacho Limestone in central Texas. *Acta Geologica Polonica*, **51**, 15-30, 6 pls.

- Kennedy, W.J.**, Bilotte, M. and Morala, A. 2001. *Pseudokossmaticeras brandtii* Redtenbacher, 1873, an Upper Campanian marker fossil in northern Aquitaine, France. *Cretaceous Research*, **22**, 259-262.
- Kennedy, W.J.**, Cobban, W.A. and Landman, N.H. 2001. Santonian ammonites from the Blossom Sand in northeast Texas. *American Museum Novitates*, **3332**, 9pp., 5 figs.
- Kennedy, W.J.**, Gale, A.S. and Hansen, T.P. 2001. The last Maastrichtian ammonites from the Brazos River section in Falls County, Texas. *Cretaceous Research*, **22**, 163-171, 4 figs.
- Klinger, H.C. and **Kennedy, W.J.** 2001. Stratigraphic and geographic distribution, phylogenetic trends and general comments on the ammonite family Baculitidae Gill, 1871 (with an annotated list of species referred to the family). *Annals of the South African Museum*, **107**, 1-290, 197 figs.
- Owens, R.M., Lane, P.D., Thomas, A.T., Fortey, R.A., **Siveter, D.J.**, Dean, W.T. and Sheldon, P. 2001. *Third International Conference on Trilobites and their Relatives. Post-conference Excursion Guide. South Wales and the Welsh Borderland*. 46pp. The National Museum of Wales Geological Series, No 20, Cardiff.
- Reyment, R.A. and **Kennedy, W.J.** 2001. Evolution in morphometric traits in North American Collignoniceratinae (Ammonoidea, Cephalopoda). *Palaeontological Research*, **5**, 45-54, 7 figs.
- Sutton, M.D., Briggs, D.E.G., Siveter, David J. and **Siveter, Derek, J.** 2001. An exceptionally preserved vermiform mollusc from the Silurian of England. *Nature*, **410**, 461-463.
- Sutton, M.D., Briggs, D.E.G., Siveter, David J. and **Siveter, Derek, J.** 2001. Methodologies for the visualisation and reconstruction of three-dimensional fossils from the Silurian Herefordshire Lagerstätten. *Palaeontologia Electronica*, **4**
- 2000**
- Aldridge, R.J., Siveter, David J., **Siveter, Derek J.**, Lane, P.D., Palmer, D. and Woodcock, N.H. 2000. *British Silurian Stratigraphy*. 542 pp. Joint Nature Conservation Committee.
- Christensen, W.K., Hancock, J.M., Peake, N.B. and **Kennedy, W.J.** 2000. The base of the Maastrichtian. *Bulletin of the Geological Society of Denmark*, **47**, 81-85.
- Kaplan, U. and **Kennedy, W.J.** 2000. Santonian ammonite stratigraphy of the Münster Basin, NW Germany. *Acta Geologica Polonica*, **50**, 99-117.
- Kennedy, W.J.** and Cobban, W.A. 2000. Maastrichtian (late Cretaceous) ammonites from the Owl Creek Formation in northeastern Mississippi, U.S.A. *Acta Geologica Polonica*, **50**, 175-190, 3 pls.
- Kennedy, W.J.** and Kaplan, U. 2000. Ammoniten faunen des Hohen Oberconiac und Santon in Westfalen. *Geologie und Paläontologie in Westfalen*, **57**, 136 p., 21 figs, 40 pls.
- Kennedy, W.J.** and Lunn, G. 2000. Upper Campanian (Cretaceous) ammonites from the Shiranish Formation of Djebel Sinjar, northwest Iraq. *Journal of Paleontology*, **74**, 464-473.
- Kennedy, W.J.**, Cobban, W.A. and Scott, G.R. 2000. Heteromorph ammonites from the Upper Campanian (Upper Cretaceous) *Baculites cuneatus* and *Baculites reesidei* zones of the Pierre Shale in Colorado, U.S.A. *Acta Geologica Polonica*, **50**, 1-20, 5 pls.
- Kennedy, W.J.**, Cobban, W.A. and Scott, G.R. 2000. Heteromorph ammonites from the Upper Campanian (Upper Cretaceous) *Baculites scotti* zone in the U.S. Western Interior. *Acta Geologica Polonica*, **50**, 223-241, 15 pls.
- Kennedy, W.J.**, Gale, A.S., Bown, P.R., Caron, M., Davey, R., Gröcke, D. and Wray, D.S. 2000. Integrated stratigraphy across the Aptian-Albian boundary in the Marnes Bleues at the Col de Pré-Guittard, Arnayon (Drôme), and at Tartonne, Alpes-de-Haute-Provence, a candidate Global Boundary Stratotype section and Boundary Point for the base of the Albian stage. *Cretaceous Research*, **21**, 591-720.
- Kennedy, W.J.**, Jagt, J.W.M., Hanna, S.S. and Schulp, A.S. 2000. Late Campanian ammonites from the Saiwan area (Huqf Desert, Sultanate of Oman). *Cretaceous Research*, **21**, 553-562, 6 figs.

Kennedy, W.J., Walaszczyk, I. and Cobban, W.A. 2000. Pueblo, Colorado, USA, Candidate Global Boundary Stratotype Section and Point for the base of the Middle Turonian Substage, with a revision of the Inoceramidae (Bivalvia). *Acta Geologica Polonica*, **50**, 295-334, 12 figs, 15 pls.

Kennedy, W.J., Landman, N.H., Cobban, W.A. and Johnson' R.O. 2000. Additions to the ammonite fauna of the Upper Cretaceous Navesink Formation of New Jersey. *American Museum Novitates*, **3306**, 30 pp., 13 figs.

Kennedy, W.J., Landman, N.H., Cobban, W.A. and Scott, G.R. 2000. Late Campanian (Cretaceous) heteromorph ammonites from the Western Interior of the United States. *Bulletin of the American Museum of Natural History*, **251**, 88 pp., 67 figs.

Orr, P.J., Briggs, D.E.G., Siveter, D.J. and **Siveter, Derek J.** 2000. Three-dimensional preservation of a non-biomineralised arthropod in concretions in Silurian volcanoclastics from Herefordshire, England. *Journal of the Geological Society of London*, **157**, 173-186.

Orr, P.J., **Siveter, Derek J.**, Briggs, D.E.G., Siveter, David J. and Sutton, M.D. 2000. A new arthropod from the Silurian Konservat-Lagerstätte of Herefordshire, England. *Proceedings of the Royal Society of London, B*, **267**, 1497-1504.

Reyment, R.A. and **Kennedy, W.J.**. 2000. Morphological links in an evolutionary sequence of the Cretaceous ammonite genus *Metoicoceras* Hyatt. *Cretaceous Research*, **21**, 845-849.

Sutton, M.D., **Siveter, Derek, J.**, Siveter, David J. and Briggs, D.E.G. 2000. The geological significance of the Dolyhir limestone. *Tarmac Papers*, **4**, 253-265, 4 figs.

Zhou, Z., **Siveter, D.J.** and Owens, R.M. 2000. Devonian proetid trilobites from Inner Mongolia, China. In K. Weddige, T.A. Talent and W. Ziegler (Eds.), In memoriam Dr Wolfgang Struve. *Senckenbergiana lethaea*, **79**, 461-501, 2 figs., 11 pls.

1999

Cobban, W.A., **Kennedy, W.J.** and Landman, N.H. 1999. *Platyscaphites*, a new ammonite from the Lower Campanian (Upper Cretaceous) of the United States Western Interior. *Bulletin de l'Institut Royal Sciences Naturelles de Belgique. Sciences de la Terre*, **69**, Supplement-A, 47-54, 1 pl.

Dalingwater, J.E., **Siveter, D.J.** and Mutvei, H. 1999. Cuticular microstructure of some homalonotid trilobites from Sweden. *Journal of Palaeontology*, **73**, 256-262.

Dam, G., Nøhr-Hansen, H. and **Kennedy, W.J.** 1999. The northernmost marine Cretaceous/Tertiary boundary section Nussuaq, West Greenland. *Greenland Geological Survey Bulletin*, **180**, 138-144.

Gale, A.S., Hancock, J.M. and **Kennedy, W.J.** 1999. Biostratigraphical and sequence correlation of the Cenomanian successions in Mangyshlak (Kazakhstan), Crimea (Ukraine) and southern England. *Bulletin de l'Institut Royal Sciences Naturelles de Belgique. Sciences de la Terre*, **69**, Supplement-A, 67-82, 2 pls.

Jagt, J.W.M., **Kennedy, W.J.** and Machalski, M. 1999. Giant scaphitid ammonites from the Maastrichtian of Europe. *Bulletin de l'Institut royal Sciences naturelles de Belgique. Sciences de la Terre*, **69**, 133-154, 8 pls.

Kennedy, W.J. and Cobban, W.A. 1999. Campanian (late Cretaceous) ammonites from the Bergstrom Formation of south-central Texas. *Acta geologica Polonica*, **49**, 67-80, 7 pls.

Kennedy, W.J. and Cobban, W.A. 1999. *Pachydiscus (Pachydiscus) hornbyense* JONES, 1963, and *P. (P.) catarinae* (Anderson and Hanna, 1935) (Cretaceous, Campanian: Ammonoidea) Pacific Realm marker fossils in the Western Interior Seaway of North America. *Bulletin de l'Institut Royal Sciences Naturelles de Belgique. Sciences de la Terre*, **69**, Supplement-A, 119-127, 2 pls.

Kennedy, W.J., Cobban, W.A. and Landman, N.H. 1999. The heteromorph ammonite *Didymoceras cochleatum* (Meek and Hayden, 1858), from the Pierre Shale of South Dakota and Wyoming. *American Museum Novitates*, **3268**, 8 pp., 5 figs.

Kennedy, W.J., Cobban, W.A., Elder, W.P. and Kirkland, J.I. 1999. Lower Turonian (Upper Cretaceous) *Watinoceras devonense* Zone ammonite fauna in Colorado. *Cretaceous Research*, **20**, 529-639.

Kennedy, W.J., Gale, A.S., Hancock, J.M., Crampton, J.S. and Cobban, W.A. 1999. Ammonites and inoceramid bivalves from close to the Middle-Upper Albian boundary around Fort Worth, Texas. *Journal of Paleontology*, **73**, 1101-1125.

Kennedy, W.J., Nøhr-Hansen, H. and Dam, G. 1999. The youngest Maastrichtian ammonites from Nuusuaq, West Greenland. *Geology of Greenland Survey Bulletin*, **184**, 13-17.

Kennedy, W.J. and Summesberger, H. 1999. New Upper Campanian ammonites from the Gschliefgraben near Gmünden (Ultrahelvetic, Austria). *Beitrage zur Paläontologie*, **24**, 23-39, 3 pls.

Landman, N.H., Lane, J., Cobban, W.A., Jorgensen, S.D., **Kennedy, W.J.** and Larson, N.L. 1999. Impressions of the attachment of the soft body to the shell in Late Cretaceous pachydiscid ammonites from the Western Interior of the United States. *American Museum Novitates*, **3273**, 31 pp., 34 figs.

1998

Charrière, A., Andreu, B., Ciszak, R., **Kennedy, W.J.**, Rossi, A. and Vila, J.-M. 1998. Le transgression du Cénomanién Supérieur dans la Haute Moulouya et le Moyen Atlas Méridionale, Maroc. *Géobios*, **31**, 551-569.

Kaplan, U., **Kennedy, W.J.**, Lehmann, N.J. and Marcinowski, R. 1998. Stratigraphie und Ammonitenfaunen des Westfälischen Cenoman. *Geologie und Paläontologie in Westfalen*, **51**, 236 p., 66 pls, 36 text-figs.

Kennedy, W.J. and Cobban, W.A. 1998. *Chesapeakiceras*, new name for *Chesapeakella* Kennedy & Cobban, 1993 (September 4), not *Chesapeakella* Campbell, 1993 (June 13). *Journal of Paleontology*, **72**, 401.

Kennedy, W.J., Bilotte, M. and Hansotte, M. 1998. Albian ammonite faunas from Pech de Foix (Ariège, France). *Bulletin des Centres de Recherches Exploration-Production Elf-Aquitaine*, **21**, 457-499, 13 pls.

Kennedy, W.J., Cobban, W.A., Gale, A.S., Hancock, J.M. and Landman, N.H. 1998. Ammonites from the Weno Limestone (Albian) in northeast Texas. *American Museum Novitates*, **3236**, 46 pp., 37 figs.

Kennedy, W.J. and Jagt, J.W.M. 1998. Additional late Cretaceous ammonite records from the Maastrichtian type area. *Bulletin de l'Institut Royal des Sciences Naturelles de Belgique. Science de la Terre*, **68**, 155-174, 6 pls.

Kennedy, W.J., Landman, N.H. and Cobban, W.A. 1998. Engonoceratid ammonites from the Glen Rose, Walnut, Goodland and Comanche Peak Formations (Albian) in Texas. *American Museum Novitates*, **3221**, 40 pp., 52 figs.

Kennedy, W.J., Landman, N.H., Christensen, W.K., Cobban, W.A. and Hancock, J.M. 1998. Marine connections in North America during the late Maastrichtian: palaeogeographic and palaeobiogeographic significance of *Jeletzkytes nebrascensis* Zone cephalopod fauna from the Elk Butte Member of the Pierre Shale, SE South Dakota and NE Nebraska. *Cretaceous Research*, **19**, 745-775.

Reyment, R.A. and **Kennedy, W.J.** 1998. Taxonomic recognition of species of *Neogastrolites* (Ammonoidea, Albian), by geometric morphometric methods. *Cretaceous Research*, **19**, 25-42, 8 figs.

1997

Kennedy, W.J., Cobban, W.A. and Landman, N.H. 1997. Campanian ammonites from the Tombigbee Sand Member of the Eutaw Formation, the Mooreville Formation, and the basal part of the Demopolis Formation in Mississippi and Alabama. *American Museum Novitates*, **3201**, 44 pp., 24 figures.

Kennedy, W.J., Cobban, W.A. and Landman, N.H. 1997. Maastrichtian ammonites from the Severn Formation of Maryland. *American Museum Novitates*, **3210**, 30 pp., 44 figs.

Kennedy, W.J. and Christensen, W.K. 1997. Santonian to Maastrichtian ammonites from Scania, Southern Sweden. *Fossils and Strata*, **44**, 75-128, 38 figs.

Kennedy, W.J. and Wright, C.W. 1997. *Turrilites gravesianus* d'Orbigny, 1842 (currently *Hypoturrilites gravesianus*: Mollusca, Ammonoidea): proposed conservation of the specific name and designation of a replacement lectotype; *Turrilites tuberculatus* Bosc, 1801 (currently *Hypoturrilites tuberculatus*): proposed designation of neotype. *Bulletin of Zoological Nomenclature*, **54**, 222-225.

1996

Briggs, D.E.G., Siveter, David J. and **Siveter, Derek J.** 1996. Soft-bodied fossils from a Silurian volcanoclastic deposit. *Nature*, **382**, 248-250.

Dalingwater, J.E., Hutchinson, S.J., Mutvei, H. and **Siveter, D.J.** 1996. Mineralization of some Silurian homalonotid trilobite cuticle. *Bull.Inst. Oceanographie de Monaco*, no. spécial **14**(4), 343-351, 3 pls.

Gale, A.S., **Kennedy, W.J.**, Burnett, J.A., Caron, M. and Kidd, B.E. 1996. The late Albian to Early Cenomanian succession at Mont Risou near Rosans (Drôme, S.E. France); an integrated study (ammonites, inoceramids, planktonic foraminifera, nannofossils, oxygen and carbon isotopes). *Cret. Res.* **17**, 515-606.

Green, M. 1996. William Buckland's model of Plymouth Breakwater: some geological and scientific connexions. *Archiv. Nat. Hist.*, **23**, 219-244, 4 figs.

Kaplan, U., **Kennedy, W.J.** and Ernst, G. 1996. Campan-Ammoniten des Südöstlichen Münsterlands. *Geol. Paläont. Westfalen*. **43**, 133pp., 41 pls.

Kauffman, E.G., **Kennedy, W.J.** and Wood, C. 1996. The Coniacian Stage and Substage Boundaries. *Bull. Inst. R. Sci. Nat. Belg.*, **66**, 81-94.

Kennedy, W.J., Bilotte, M. Hansotte, M. 1996. Cenomanian ammonites from Pech de Foix (Ariège, France). *Géobios*. **29**, 307-318, pls 39, 40.

Kennedy, W.J. and Cobban, W.A. 1996. Ammonites from the basal Hornerstown Formation in New Jersey. *J. Paleont.* **70**, 798-804.

Kennedy, W.J., Cobban, W.A. and Landman, N.H. 1996. Two species of *Placenticeras* (Ammonitina) from the Upper Cretaceous (Campanian) of the Western Interior of the United States. *Am. Mus. Novit.*, **3173**, 13 pp., 27 figs., 1 tab.

Kennedy, W.J., Cobban, W.A. and Landman, N.H. 1996. New records of acanthoceratid ammonoids from the Upper Cenomanian of South Dakota. *Am. Mus. Novit.*, **3161**, 18 pp., 17 figs. 3 tabs.

Klinger, H.C. and **Kennedy, W.J.** 1996. Cretaceous faunas from Zululand and Natal, South Africa. The ammonite family Baculitidae Gill, 1871 (Excluding the genus *Eubaculites*). *Ann. S. Afr. Mus.*, **105**, 1-206.

Klinger, H.C. and **Kennedy, W.J.** 1996. *Worthoceras pacificum* Matsumoto and Yokoi, 1987 (Cephalopoda, Ammonoidea) from the Mzinene Formation, Cretaceous, Zululand. *S. Afr. J. Geol.*, **99**, 37-40.

Klinger, H.C., **Kennedy, W.J.** and Cobban, W.A. 1996. The affinities of *Baculites asperoanceps* Lasswitz, 1904 (Cretaceous ammonite) with a discussion of the affinities of the species. *Acta Geologica Polonica*, **46**, 99-104, 1pl.

Rawson, P.F., Dhondt, A.V., Hancock, J.M. and **Kennedy, W.J.** (eds) 1996. Second International Symposium on Cretaceous Stage Boundaries, Brussels, 8-16 September 1995. *Bulletin de l'Institut Royal des Sciences Naturelles de Belgique*, **66**, (supplement), 117 pp.

Schönfeld, J. Schulz, M.G., McArthur, J.M., Burnett, J., Gale, A.S., Hambach, U., Hansen, H.J., **Kennedy, W.J.**, Rasmussen, K.L., Thirlwall, M.F. and Wray, D. 1996. New results on biostratigraphy, palaeomagnetism, geochemistry and correlation for the standard section for the Upper Cretaceous White Chalk of northern Germany. *Proceedings of the 4th International*

Cretaceous Symposium, Hamburg, 1992. Special Issue, *Mitt. Geol.-Paläont. Inst. Univ. Hamburg*, **77**, 545-575.

Siveter, D.J. 1996. Calymenid trilobites from the Wenloch Series (Silurian) of Britain. *Transactions of the Royal Society of Edinburgh*, **86**, 257-285, 13 figs.

Siveter, D.J. and Chatterton, B.D.E. 1996. Silicified calymenid trilobites from the Silurian of the Mackenzie Mountains, northwest Canada. *Palaeontographica*, **A239**, 43-60, 1 fig., 5 pls.

Siveter, David J., Williams, M., Peel, J. and **Siveter, Derek J.** 1996. Bradoriids (Arthropoda) from the early Cambrian of North Greenland. *Transactions of the Royal Society of Edinburgh; Earth Sciences*, **86**, 113-121, 6 figs.

Summesberger, H. and **Kennedy, W.J.** 1996. Turonian ammonites from the Gosau Group (Upper Cretaceous); Northern Calcareous Alps, Austria) including a revision of *Barroisiceras haberfellneri* (Hauer, 1866). *Beitr. Paläont. Österreich*, **21**, 105-177, pls, 1-18.

Troger, K.A. and **Kennedy, W.J.** 1996. The Cenomanian Stage. *Bulletin de l'Institut Royal des Sciences Naturelles de Belgique*, **66**, 81-94.

Wright, C.W. and **Kennedy, W.J.** 1996. A Monograph of the Ammonoidea of the Lower Chalk. Part 5. *Palaeontogr. Soc. Monogr.*, 320-403, pls. 95-124.

1995

Cobban, W.A. and **Kennedy, W.J.** 1995. Maastrichtian ammonites, chiefly from the Prairie Bluff Chalk in Alabama and Mississippi. *Mem. Paleont. Soc.*, **44**, 1-40, 23 figs.

Gale, A.S., Montgomery, P., **Kennedy, W.J.**, Hancock, J.M., Burnett, J.A. and McArthur, J.M. 1995 Definition and Global Correlation of the Santonian - Campanian boundary. *Terra Nova*, **7**, 611-622.

Jagt, J.W.M., Burnett, J.A. and **Kennedy, W.J.** 1995. Upper Campanian ammonites and nannofossils from Southern Limburg, The Netherlands. *Meded. Rijks Geol. Dienst.*, **53**, 49-63, 3 pls.

Kaljo, D., Boucot, A.J., Corfield, R.M., Le Herisse, A., Koren, T.N., Kriz, J., Mannik, P., Marss, T., Nestor, V., Shaver, R.H., **Siveter, D.J.** and Viira, V. 1995. Silurian bioevents. In: Walliser, O.H. (ed.), *Global events and event stratigraphy in the Phanerozoic*, 173-224. Springer, Berlin.

Kennedy, W.J. 1995. Maastrichtian ammonites from the United Arab Emirates-Oman borders. *Bull. nat. Hist. Mus. Lond. (Geol.)* **51**, 241-250, 4 pls.

Kennedy, W.J. and Bilotte, M. 1995. A new ammonite fauna from the sub-pyrenean Campanian (Upper Cretaceous). *Géobios*, **28**: 359-370, 3 pls.

Kennedy, W.J., Bilotte, M. and Melchior, C. 1995. Ammonite faunas, biostratigraphy and sequence stratigraphy of the Coniacian-Santonian of the Corbières (N.E. Pyrénées). *Bull-Centres Rech. Explor.-Prod. Elf-Aquitaine*, **19**, 377-499, 30 pls.

Kennedy, W.J., Burnett, J.A., Christensen, W.K., Dhondt, A.V. and Jagt, J.M.W. 1995. Santonian macrofauna and nannofossils from northeast Belgium. *Bull. Inst. Roy. Sci. Nat. Belgique.*, **65**: 127-137, 1 pl.

Kennedy, W.J. and Jagt, J.W.M. 1995. Lower Campanian heteromorph ammonites from the Vaals Formation around Aachen, Germany, and adjacent parts of Belgium and the Netherlands. *Neues Jb. geol. Paläont. Abh.*, **197**, 275-294.

Kennedy, W.J., Johnson, R.O. and Cobban, W.A. 1995. Upper Cretaceous ammonite faunas of New Jersey. *Geol. Soc. N.J.*, **12**, 21-55, 7 pls.

Kennedy, W.J. and Kaplan, U. 1995. *Parapuzosia (Parapuzosia) seppenradensis* (LANDOIS) und die Ammoniten fauna der Dülmener Schichten, Westfalen. *Geol. Paläont. Westf.*, **33**: 127 p., 43 pls.

Kennedy, W.J. and Kaplan, U. 1995. *Pseudojacobites farmeryi* (CRICK, 1905), ein seltenen Ammonit des westfälischen und englischen Ober-Turon. *Berliner geowiss. Abh.*, **E10**: 25-43, 7 pls.

Klinger, H.C. and **Kennedy, W.J.** 1995. *Salaziceras salazacensis* Breistroffer, 1936, from the Mzinene Formation of northern Zululand. *S.Afr.J.Geol.*, **97**: 146-148.

McLaughlin, O.M., McArthur, J.M., Thirlwall, M.F., Howarth, R., Burnett, J., Gale, A.S. and **Kennedy, W.J.** 1995. Sr isotope evolution of Maastrichtian seawater, determined from the chalk of Hemmoor, NW Germany. *Terra Nova*, **7**, 491-499.

Powell, H.P. 1995. Source of the Building-Stone used in the Barn. In: J.T. Munby and J.M. Steane. Swalcliffe: a New College Barn in the 15th Century. *Oxoniensia*, **60**, 363-4.

Siveter, David J., Rushton, A.W.A. and **Siveter, Derek J.** 1995. A Tremadoc arthropod with appendages from Central England. *Lethaia*, **28**(4), 299-307, 4 figs.

Smith, A.B., Morris, N.J, Gale, A.S. and **Kennedy, W.J.** 1995. Late Cretaceous carbonate platform faunas of the United Arab Emirates-Oman border region. *Bull. nat. Hist. Mus. London. (Geol.)*, **51**, 91-119.

Wright, C.W. and **Kennedy, W.J.** 1995. A Monograph of the Ammonoidea of the Lower Chalk. Part IV. *Monogr. Palaeontogr. Soc.*, 295-319, pls 87-94.

1994

Chancellor, G.R., **Kennedy, W.J.** and Hancock, J.M. 1994. Turonian ammonites from Central Tunisia. *Spec. Pap. Palaeont.*, **50**, 118 pp., 37 pls, 19 figs.

Cobban, W.A. and **Kennedy, W.J.** 1994. Middle Campanian (Upper Cretaceous) ammonites from the Pecan Gap Chalk of Central and Northeast Texas. *Bull. U.S. Geol. Surv.*, **2073-D**, D1-D9, 5 pls.

Cobban, W.A. and **Kennedy, W.J.** 1994. A giant baculite from the Upper Campanian and lower Maastrichtian of the western Interior. *Bull. U.S. Geol. Surv.*, **2073-C**, C1-C3, 2 pls.

Cobban, W.A. and **Kennedy, W.J.** 1994. Cenomanian (Upper Cretaceous) nautiloids from New Mexico. *Bull. U.S. Geol. Surv.*, **2073-E**, E1-E3, 2 pls.

Cobban, W.A. and **Kennedy, W.J.** 1994. Upper Campanian ammonites from the Coon Creek Tongue of the Ripley Formation at its type locality in McNairy County, Tennessee. *Bull. U.S. Geol. Surv.*, **2073-D**, B1-B12, 11 pls.

Jagt, J.W.M. and **Kennedy, W.J.** 1994. *Jeletskytes dorfi* Landman and Waage, 1993, a North American marker fossil from the lower Upper Maastrichtian of Belgium, and the numerical age of the Lower/Upper Maastrichtian boundary. *Neues Jb. geol. Paläont. Mh.*, 239-245, 3 figs.

Kaplan, U. and **Kennedy, W.J.** 1994. Ammoniten des Westfälischen Coniac. *Geol. Paläont. Westf.*, **31**, 155pp., 43 pls, 7 figs.

Kennedy, W.J. 1994. On the identity of two U.S. Western Interior Cretaceous ammonites described by Alcide d'Orbigny. *J. Paleont.*, **68**: 1412-1414, 1 fig.

Kennedy, W.J. 1994. Lower Turonian ammonites from Gard (France). *Palaeopelagos*, Special Publication 1: 255-275, 9 pls.

Kennedy, W.J. 1994. Cenomanian ammonites from Cassis, Bouches-du-Rhône, France. *Palaeopelagos*, Special Publication 1: 209-254, 12 pls.

Kennedy, W.J. and Cobban, W.A. 1994. Ammonite faunas from the Wenonah Formation (Upper Cretaceous) of New Jersey. *J. Paleont.*, **68**, 95-110, 11 figs.

Kennedy, W.J. and Cobban, W.A. 1994. Lower Campanian ammonites from the Mount Laurel Sand of New Jersey, Maryland and Delaware. *J. Paleont.*, **68**: 1285-1305, 17 figs.

Kennedy, W.J. and Delamette, M. 1994. *Neophlycticeras* Spath, 1922 (Ammonoidea) from the Upper Albian of Ain, France. *Neus Jb. Geol. Paläont. Mh.*, **191**, 1-24, 9 figs.

Kennedy, W.J. and Delamette, M. 1994. Lyelliceratidae and Flickiidae (Ammonoidea) from the Upper Albian and Cenomanian of the Helvetic Shelf (Western Alps, France and Switzerland). *J. Paleont.*, **68**: 1263-1284, 13 figs.

Kennedy, W.J. and Juignet, P. 1994. A revision of the ammonite faunas of the type Cenomanian. 5. Acanthoceratinae (*Calycoceras* (*Calycoceras*), *C. (Gentoniceras)* and *C. (Newboldiceras)*). *Cret. Res.*, **15**, 17-57, 24 figs.

Kennedy, W.J. and Juignet, P. 1994. A revision of the ammonite faunas of the type Cenomanian. 6. Acanthoceratinae (*Calycoceras* (*Proeucalycoceras*), *Eucalycoceras*, *Pseudocalycoceras*, *Neocardiocras*), Euomphaloceratinae, Mammitinae and Vascoceratidae. *Cret. Res.*, **15**: 469-501, 13 figs.

Kennedy, W.J. and Wright, C.W. 1994. *Baculites* (*Protobaculites*) Collignon, 1994 (Cretaceous Ammonoidea) is a synonym of *Hemiptychoceras* Spath, 1922. *J. Paleont.*, **68**: 1414-1415, 1 fig.

Kennedy, W.J. and Wright, C.W. 1994. The affinities of *Nigericeras* Schneegans, 1943 (Cretaceous Ammonoidea). *Géobios*, **27**: 583-589, 2 pls.

McArthur, J.M., **Kennedy, W.J.**, Chen, M., Thirlwall, M. and Gale, A.S. 1994. Strontium isotope stratigraphy for the late Cretaceous: direct numerical calibration of the Sr-Isotope curve based on the Western Interior. *Palaeogeogr.*, *Palaeoclimat.*, *Palaeoecol.*, **108**, 95-119, 8 figs.

McArthur, J.M., Thirlwall, M.F., Chen, M., Gale, A.S. and **Kennedy, W.J.** 1994. Strontium isotope stratigraphy in the late Cretaceous time: intercontinental correlation for the Campanian. *Paleoceanography*, **8**, 859-873, 6 figs.

Ramsköld, L., Adrain, J.M., Edgecombe, G.D. and **Siveter, D.J.** 1994. The Silurian calymenid trilobite *Alcymene* n. gen., with new species from the Ludlow of Gotland, Sweden. *Journal of Paleontology*, **68**: 556-569, 8 figs.

Wright, C.W. and **Kennedy, W.J.** 1994. Evolutionary relationships among Stolizkaiinae (Cretaceous ammonites) with an account of some species from the English *Stoliczkaia dispar* zone. *Cret. Res.*, 547-582, 14 figs.

1993

Burnett, J.A., Hancock, J.M., **Kennedy, W.J.** and Lord, A.R. 1993 Macrofossil, microfossil and nannofossil zonation at the Campanian-Maastrichtian boundary. *Newsl. Stratig.* **27**, 157-172, 6 figs.

Cobban, W.A. and **Kennedy, W.J.** 1993 Middle Campanian ammonites and inoceramids from the Wolfe City Sand in northeast Texas. *J. Palaeont.*, **67** 71-82, 8 figs.

Cobban, W.A. and **Kennedy, W.J.** 1993. The Upper Cretaceous dimorphic pachydiscid ammonite *Menuites* in the Western Interior of the United States. *U.S. Geological Survey Professional Paper*, **1533**, 14 pp., 14 pls, 6 figs.

Dalingwater, J.E., Hutchinson, S.J., Mutvei, H. and **Siveter, D.J.** 1993. Mineralization of trilobite cuticles. *Abstracts, Seventh International Symposium on Biomineralization*, p. 70, Monaco.

Dalingwater, J.E., Hutchinson, S.J., Mutvei, H. and **Siveter, D.J.** 1993. Cuticular ultrastructure, Silurian calymenid trilobites from the Welsh Borderland and Gotland. *Palaeontographica*, **A229**, 37-49, 10 pls.

Dalingwater, J.E., Hutchinson, S.J., Mutvei, H. and **Siveter, D.J.** 1993. Trilobite cuticle calcification. In: Kobayashi, I., Mutvei, H. and Sahni, A. (eds), *Structure, Formation and evolution of fossil hard tissues*, 13-20, 2 pls. *Proceedings of 29th International Geological Congress*, Kyoto, Japan.

Gale, A.S., Jenkyns, H.C., **Kennedy, W.J.** and Corfield, R.M. 1993. Chemostratigraphy versus biostratigraphy: data from around the Cenomanian-Turonian boundary. *Jl. Geol. Soc.*, **150**, 29-32, 3 figs.

Hancock, J.M. and **Kennedy, W.J.** 1993. The high Cretaceous ammonite fauna from Tercis, Landes, France. *Bull. Inst. Roy. Soc. Nat. Belgique*. **63**, 149-209, 20pls.

Kennedy, W.J. and Cobban, W.A. 1993. Lower Campanian (Upper Cretaceous) ammonites from the Mercantville Formation of New Jersey, Maryland and Delaware. *J. Palaeont.*, **67**, 828-849, 17 figs.

- Hancock, J.M., Peake, N.B., Burnett, J., Dhondt, A.V., **Kennedy, W.J.** and Stokes, R.B. 1993. High Cretaceous biostratigraphy at Tercis, South-west France. *Bull. Inst. Roy. Soc. Nat. Belgique*, **63**, 133-148, 4 figs.
- Hancock, J.M., **Kennedy, W.J.** and Cobban, W.A. 1993. A correlation of the Upper Albian to basal Coniacian sequences of western Europe, Texas and the United States Western Interior. *Spec. Pap. Geol. Ass. Canada*, **39**, 453-476, 3 tab.
- Kennedy, W.J.** 1993. Campanian and Maastrichtian ammonites from the Mons Basin (Belgium). *Bull. Inst. Roy. Soc. Nat. Belgique*, **63**, 99-131, 7 pls, 6 figs.
- Kennedy, W. J.** 1993. A note on the lectotype of *Ammonites beaudanti* Brongniart, 1822 (Cretaceous Ammonoidea). *Cret. Res.*, **14**, 235-238, 2 figs.
- Kennedy, W.J.** 1993. Ammonite faunas of the European Maastrichtian: diversity and extinction. *Sytematics Assn. Spec. Vol.* **47**, 285-326, 11 figs.
- Kennedy, W.J.** and Christensen, W.K. 1993. Santonian ammonites from the Köpingsberg borehole, Sweden. *Bull. geol. Soc. Denmark*, **40**, 149-156.
- Kennedy, W.J.** and Cobban, W.A. 1993 Upper Campanian ammonites from the Ozan-Annona Formation boundary in Southwestern Arkansas. *Bull. geol. Soc. Denmark*, **40**, 115-148.
- Kennedy, W.J.** and Cobban, W.A. 1993. Maastrichtian ammonites from the Corsicana Formation in northeast Texas. *Geol. Mag.*, **130**, 57-67, 6 figs.
- Kennedy, W.J.** and Cobban, W.A. 1993. Campanian ammonites from the Annona Chalk near Yancy, Arkansas. *J. Paleont.*, **67**, 83-97, 12 figs.
- Kennedy, W.J.** and Cobban, W.A. 1993. Ammonites from the Saratoga Chalk (Upper Cretaceous) of Arkansas, U.S.A. *J. Palaeont.*, **67**, 404-434, 17 figs.
- Kennedy, W.J.** and Cobban, W.A. 1993. Lower Cretaceous *Forbesiceras brundrettei* zone ammonite fauna in Texas, U.S.A. *Neues Jb. geol. Paläont. Abh.*, **188**, 327-344, 6 figs.
- Kennedy, W.J.** and Hancock, J.M. 1993. Upper Maastrichtian ammonites from the Marnes de Nay between Gan and Rébénacq (Pyrénées-Atlantiques), France. *Géobios*, **26**, 575-594, 7 pls.
- Kennedy, W.J.** and Juignet, P. 1993. A revision of the ammonite faunas of the type Cenomanian. 4. Acanthoceratinae (*Acompsoceras*, *Acanthoceras*, *Protacanthoceras*, *Cunningtonoceras* and *Thomelites*). *Cret. Res.*, **14**, 145-190, 28 figs.
- Kennedy, W.J.** and Klinger, H.C. 1993. On the affinities of *Cobbanoscaphites* Collignon, 1969. *Ann. S. Afr. Mus.*, **102**, 265-271, 2 figs.
- Kennedy, W.J.** and Klinger, H.C. 1993. on affinities of *Zuluscaphites* Van Hoepen, 1955 (Cretaceous Ammonoidea) from the Albian of Zululand, South Africa. *Pal. Zeitschr.*, **67**, 63-67, 2 figs.
- Klinger, H.C. and **Kennedy, W.J.** 1993 Cretaceous faunas from Zululand, and Natal, South Africa. The heteromorph genus *Eubaculites*. *Ann. S. Afr. Mus.*, **102** 185-264, 57 figs.
- McArthur, J.M., Thirlwall, M.F., Gale, A.S., **Kennedy, W.J.**, Burnett, J.A., Lord, A.R. and Matthey, D. 1993. Strontium isotope stratigraphy for the late Cretaceous: a first refinement, based on English Chalk. *Geol. Soc. Lond. Spec. Publ.*, **70**, 195-209, 5 figs.
- Romano, M., Chang, W.T., Dean, W.T., Edgecombe, G.D., Fortey, R.A., Holloway, D.J., Lane, P.D., Owen, A.W., Owens, R.M., Palmer, A.R., Rushton, A.W.A., Shergold, J.H., **Siveter, D.J.** and Whyte, M.A. 1993. Arthropoda (Trilobita). In: Benton, M.J. (ed.), *The fossil record*, **2**, 279-296, 4 figs. Chapman and Hall.
- Ward, P.D. and **Kennedy, W.J.** 1993. Maastrichtian ammonites from the Biscay Region (France, Spain). *Mem. Paleont Soc.*, **34**, 58 pp., 44 figs.

Pre 1993

Powell, H.P. 1987. A megalosaurid dinosaur jawbone from the Kimmeridge Clay of the seabed of West Bay, Dorset. *Proceedings of the Dorset Natural History and Archaeological Society*, **109**, 105-108.

Galton, P.M. & **Powell, H. P.** 1983. Stegosaurian dinosaurs from the Bathonian (Middle Jurassic) of England, the earliest record of the family Stegosauridae. *Geobios*, **16**, 219-229.

Galton, P.M. and **Powell, H. P.** 1980. The ornithischian dinosaur *Camptosaurus prestwichii* from the Upper Jurassic of England. *Palaeontology*, **23**, 411-433.

Edmonds, J.M. and **Powell, H.P.** 1978. List of Type-fossils in the Philpot collection, Oxford University Museum. *Proceedings of the Dorset Natural History and Archaeological Society*, **98**, 48-53.

Edmonds, J.M. and **Powell, H.P.** 1974. Beringer 'Lufgensteine' at Oxford. *Proceedings of the Geologists' Association*, **85**, 549-554.